

# INDEX MAPS.

**T. 31 N. R. 6 W. 2<sup>nd</sup> Mer.**

	7	7	6	6	5	5						
9	6	32	5	26	4	22	3	17	2	14	1	5
	32		31		25		21		17		13	
9	7	31	8	25	9	21	10	17	11	13	12	4
	31		30		24		21		16		13	
9	18	30	17	24	16	20	15	16	14	12	13	4
	29		29		24		20		16		12	
9	19	28	20	23	21	19	22	15	23	12	24	4
	28		28		23		19		15		11	
8	30	27	29	23	28	19	27	15	26	11	25	3
	27		26		22		18		14		10	
8	31	26	32	22	33	18	34	14	35	10	36	3
	2		2		1		1		1		1	

**T. 32 N. R. 6 W. 2<sup>nd</sup> Mer.**

	41		40		40		40		39		39	
43	6	61	5	57	4	54	3	50	2	46	1	39
	61		61		57		53		50		46	
43	7	61	8	56	9	53	10	50	11	46	12	38
	61		60	+	56		53		49	+	45	
42	18	60	17	56	16	53	15	49	14	45	13	38
	60		59		56		52		49		45	
42	19	59	20	55	21	52	22	48	23	45	24	38
	59		59		55		51		48		45	
42	30	58	29	55 <sup>+</sup>	28	51	27	47	26	44	25	38
	58		58	+	54		51		47		44	
41	31	57	32	54	33	50	34 <sup>+</sup>	47	35	44	36	37
	57		56		56		55		55		55	

Meanders 62

The figures on the lines refer to the page.

my Township 31 North Range 6 West 2<sup>nd</sup> New Ind<sup>a</sup>

C. L.

South Boundary,

Var. 5° 47' E.

West On South side sec. 36.  
 29.85 a G. Oak 15 in. dia.  
 35.50 Entered marsh  
 40.00 Set gr. sec. post from which  
     a Red Oak 14 in. dia. bear S 89° E 556 ft.,  
     & a Do. 18 " " " N 28 7/8° E 538 "  
 80.00 Set post cor. sec. 35 & 36 from which  
     a Pin Oak 10 in. dia. bear N 88° W 214 ft.  
 Land C. of marsh poor broken barren  
 thinly timbered with W. O. & Pin Oak,

---

West On South side of sec. 35  
 40.00 Set gr. sec. post in marsh & water  
 66.50 To an island  
 67.58 " a W. Oak 11 in. dia.,  
 68.50 " " Do. 10 " "  
 69.50 Leave island & enter marsh again  
 80.00 Set post cor. sec. 34 & 35 from which  
     a W. Oak 10 in. dia. bear N 89 1/2° E 1088 ft.,  
     no other  
 Land &c. same as last mile,

---

West On South side of sec. 34  
 40.00 Set gr. sec. post in marsh & water  
 55.00 Leave marsh  
 80.00 Set post cor. sec. 33 & 34 from which  
     a W. Oak 16 in. dia. bear N 9° W 44 ft.,  
     & a G. Oak 20 " " " N 11° E 38 " dist  
 Land &c. same as last,  
 Observed near this corner when the pole  
 star was at its greatest Eastern elongation  
 & found Var. to be 5° 47' E. Jan'y 26. 1834

---

West On South side of sec. 33,

<sup>up</sup> T. 31 N. R. 6 W. 2<sup>nd</sup> New. Ind.

- 36.00 Enter a marsh  
 40.00 Set g<sup>t</sup>. sec. post from which  
     a W. Oak 13 in. diam. bears S 28° W 433 ft.,  
     & a Do, 15 " " " N 89½° W 895 ft.  
 46.50 Leave the marsh  
 50.00 Enter Do. again.  
 80.00 Set post cor. sec. 32 & 33 from which  
     a W. Oak 13 in. diam. bears N 10½° E 960 ft. diam.,  
     & a Do, 15 " " " N 84¾° W 914 " "  
     Land &c. same as on last mile,

- Nest On South side of sec. 32,  
 9.00 a W. Oak 14 in. diam., (10.78.)  
 10.78 Leave marsh at (9.00)  
 15.45 a W. Oak 11 in. diam.,  
 25.00 Enter a marsh  
 40.00 Set g<sup>t</sup>. sec. post from which  
     a W. Oak 10 in. diam. bears N 16½° E 552 ft.,  
     & a Do, 14 " " " N 22¼° E 567 ft.  
 55.50 Leave marsh  
 65.00 Enter Do. again  
 80.00 Set post cor. sec. 31 & 32 from which  
     a Y. Oak 14 in. diam. bears N 22½° W 244 ft.,  
     & a W. Oak 13 " " " N 13½° E 243 ft.  
 Dry land made up of sand ridges  
 elevated from 3 to 12 ft. above the  
 marsh, some places level & nearly as low  
 as the marsh & very little timber: the  
 whole of the poorest class of poor burning  
 & mean islands in this almost endless  
 marsh, wet at times & dry at others,  
 a dead level, & but a thin coat of grass  
 of poor quality. These remarks apply  
 to the whole Kaukaunee country,

Nest On South side of sec. 31.

3

my T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 34.00 Leave marsh  
 40.00 Set gr. sec. post from which a  
     Y. Oak 8 in. dia. bears N 70 $\frac{1}{2}$  W 30 lks. dist,  
     & a Do. 14 " " " N 43 $\frac{1}{2}$  E 6 " "  
 43.00 Entered a marsh  
 55.00 Leave Do.  
 64.64 a W. Oak 12 in. dia.,  
 64.98 " Do. 10 " "  
 64.50 " ~~Entered marsh~~  
 80.00 Set post cor. Towns 30 & 31 N. R. 6 & 7 W.,  
     an Aspen 14 in. dia. bears N 25 W 10.02 lks.,  
     W. Oak 13 " " " N 27 $\frac{1}{2}$  E 5.39 "  
 Land &c. same as on last mile,  
 surveyed by R. Clark Jr. in 1834.

### East Boundary.

V. 5.35 E.

- North On E. side of sec. 36  
 25.10 a Y. Oak 11 in. dia.,  
 36.02 " W. Oak 14 " "  
 40.00 Set gr. sec. post from which  
     a W. Oak 8 in. dia. bears S 32 W 76 lks.,  
     & a Do. 8 " " " N 3 W 73 "  
 52.35 a Y. Oak 10 " "  
 67.50 " Do. 6 " "  
 80.00 Set post cor. sec. 25 & 36 from which  
     a W. Oak 10 in. dia. bears N 12 $\frac{1}{2}$  W 20.5 lks.,  
     & a Do. 12 " " " N 47 $\frac{1}{2}$  W 22.9,  
 Land level & 2<sup>nd</sup> rate thinly timbered  
 with Oak —

- North On East side of sec. 25  
 25.31 a Y. Oak 10 in. dia.,  
 40.00 Set gr. sec. post from which  
     a W. Oak 7 in. dia. bears S 67 W 18.9 lks.,  
     & a Do. 11 " " " N 70 $\frac{1}{2}$  W 20.3 "  
 46.00 Entered a wet prairie  
 80.00 Set post cor. sec. 24 & 25 from which



<sup>ing</sup>  
 T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

60.00 a W. Oak 8 in. dia. bears S  $1\frac{1}{2}$  W 652 lks.  
 & a Do. 16 " " " N  $50\frac{1}{2}$  W 470 "  
 Land level marshy & sparsely timbered?  
 with Oak timber.

North On East side of sec. 24

2.00 Leave wet prairie  
 27.00 Entered a " Do.  
 40.00 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S  $39\frac{1}{2}$  W 438 lks.  
 & a B. Oak 10 " " " N  $17\frac{1}{2}$  W 539 "  
 80.00 Set post cor. sec. 13 & 24 from which  
 a W. Oak 7 in. dia. bears N  $7\frac{1}{2}$  W 650 lks. dist.  
 & a — " N  $19\frac{1}{2}$  W 633 "  
 Land mostly wet prairie 2<sup>nd</sup> rate Oak,

North On East side of sec. 13

17.00 Leave wet prairie  
 40.00 Set gr. sec. post from which  
 a W. Oak 4 in. dia. bears S  $54\frac{1}{2}$  W 180 lks.  
 & a Y. Oak 6 " " " N  $25\frac{1}{2}$  W 59 "  
 47.81 To a Do. 9 " "  
 65.94 " a Do. 12 " "  
 80.00 Set post cor. sec. 12 & 13 from which  
 a Y. Oak 14 in. dia. bears S  $85\frac{1}{2}$  W 32 lks. dist.  
 & a W. Oak 8 " " " S  $39\frac{1}{2}$  W 20 " "  
 Land rolling from sandy & Oak timber  
 North end. prairie —

North On East side of sec. 12

4.55 a W. Oak 10 in. dia. "  
 9.00 Entered a wet prairie  
 40.00 Set gr. sec. post from which  
 a W. Oak 8 in. dia. bears N  $85\frac{3}{4}$  E 469 lks.  
 & a Y. Oak 14 " " " N  $86\frac{1}{2}$  E 471 "  
 80.00 Set post cor. sec. 11 & 12 from which

5

by T. 31 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind. <sup>a</sup>

C. L. a Y. Oak 20 in. dia. bear S 85<sup>W</sup> 759 th. dist.  
+ a Do. 20 " " " N 88<sup>W</sup> 862 " "  
This mile mostly wet prairie

---

North On E. side of Sec. 1

40.00 Set q<sup>r</sup>. sec. post from which  
a Y. Oak 7 in. dia. bear N 42<sup>E</sup> W 338 th. dist.  
+ a Do. 4 " " " N 31<sup>W</sup> 370 " "

55.00 Leave wet prairie

80.00 Set post cor. Towns 31 & 32 N. R. 5 & 6 W.  
(Temporary cor.) Land level 2<sup>nd</sup> rate &  
timbered Oak N. of prairie —  
Surveyed Dec. 30<sup>th</sup> 1833. By  
Sylvester Sibley, Dep. Sur.

---

North Boundary.

Var. 5<sup>th</sup> 40 E.

West On N. side sec. 36 T. 32 N. R. 6 W.

11.50 Enter wet prairie

37.00 Leave " Do.

40.00 Set q<sup>r</sup>. sec. post from which  
a W. Oak 5 in. dia. bear N 57<sup>E</sup> 19 th. dist.  
+ a Do. 7 " " " N 31<sup>E</sup> W 21 " "

44.62 a W. Oak 15 " " "

57.79 " Do. 13 " " "

60.50 Enter wet prairie

80.00 Set post cor. sec. 35 & 36 from which  
a W. Oak 15 in. dia. bear N 10<sup>E</sup> 399 th.  
+ a Do. 16 " " " N 49<sup>E</sup> W 212 " dist.  
Up land gently rolling poor barrens  
thinly timbered W. G. P. & R. Oak prairie  
level poor sandy soil. wet but needs  
much water standing on the surface.

---

West On N. side sec. 35. T. 32 N. R. 6 W.

1.25 Leave prairie

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 7.50 Enter wet prairie  
 28.00 Leave the do.  
 35.00 Enter wet do.  
 40.00 Set gr. sec. post from which  
     a W. Oak 16 in. dia., bear N 71 3/4 E 543 ft.  
     & a R. Oak 6 " " " S 71 1/4 W 171 "  
 41.50 Leave wet prairie  
 52.00 Enter a marsh  
 80.00 Set post cor. sec. 34 & 35 in marsh  
     a W. Oak 14 in. dia., bear S 3 1/4 W 256 ft. dist.  
     & a do. 8 " " " S 8 1/4 E 296 " "  
 Land &c. same as last except marsh

- West On S. side of sec. 34 T. 32 N. R. 6 W.  
 10.00 Leave marsh  
 10.25 a Y. Oak 15 in. dia.  
 29.50 Enter wet prairie  
 40.00 Set gr. sec. post from which  
     a R. Oak 6 in. dia., bear N 71 1/2 E 449 ft. dist.  
     & a W. Oak 16 " " " N 37 1/2 W 441 " "  
 49.50 Leave prairie  
 58.00 Enter wet prairie  
 70.00 Leave " do.  
 70.94 To a Y. Oak 15 in. dia.  
 80.00 Set post cor. sec. 33 & 34 from which  
     a Y. Oak 15 in. dia., bear N 38 1/2 E 442 ft. dist.  
     & a do. 13 " " " N 52 1/2 W 60 " "  
 Land &c. similar to last mile,

- West On S. side of sec. 33 T. 32 N. R. 6 W.  
 13.64 a R. Oak 12 in. dia.  
 40.00 Set gr. sec. post from which  
     a Red Oak 18 in. dia., bear N 71 W 86 ft.  
     & a do. 16 " " " S 39 3/4 E 230 ft. dist.  
 62.92 a W. Oak 16 " "  
 67.21 " do. 16 " "

47

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

80.00 Set post cor. sec. 32 & 33 from which  
 a W. Oak 14 in. dia. bears N 25 7/8 E 40 th.  
 & a Do. 19 " " " N 51 1/2 W 110 " dist,  
 E 1/2 level low barrens very thinly timbered  
 W 1/2 rolling & well timbered W. & Y. Oak

---

Nest On S. side of sec. 32 T. 32 N. R. 6 W.

7.00 Entered wet prairie

33.00 Leave " Do.

36.00 a Y. Oak 13 in. dia.

40.00 Set gr. sec. post from which  
 a Y. Oak 10 in. dia. bears N 65 E 32 th. dist,  
 & a Do. 14 " " " N 50 1/4 W 57 " "

52.00 Entered wet prairie

72.00 Leave " Do.

80.00 Set a post cor. sec. 31 & 32 from which  
 a R. Oak 10 in. dia. bears N 18 E 38 7/8 th. dist,  
 & a Do. 7 " " " N 41 3/4 W 43 1/2 " "  
 Land & similar & broken by level low prairie

---

Nest On S. side of sec. 31 T. 32 N. R. 6 W.

19.70 a Y. Oak 12 in. dia.

20.36 a W. Oak 14 " "

40.00 Set gr. sec. post from which  
 a W. Oak 14 in. dia. bears N 88 1/2 E 210 th.  
 & a Do. 9 " " " N 70 E 151 "

47.63 a Y. Oak 16 " "

50.82 a Do. 17 " "

67.00 Entered wet prairie

78.11 Intersect W. boundary 18 th. S. of post  
 where set post cor. Town 31 & 32 N. R. 6 & 7 W.  
 a W. Oak 14 in. dia. bears N 82 E 38 1/2 th. dist,  
 & a Do. 12 " " " N 86 W 55 1/2 " "

Land &c. same as on last mile

Surveyed January 30<sup>th</sup> 1834 By

Robert Clark Jr. Dep. Sur.

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

C. L.

West Boundary.

Var. 5° 47' E,

North On E. side of sec. 36 T. 31 N. R. 7 W.

31.00 Leave marsh

36.41 a Double W. Oak 12 in. dia,

36.50 Enter a marsh

40.00 Set gr. sec. post from which

a Y. Oak 13 in. dia, bears S 97° 4' W 394 ft.,

a Double W. Oak 12 " " " South 356 "

57.50 Leave marsh

75.50 Enter Do. again

80.00 Set post cor. sec. 25 & 36 from which

a W. Oak, 14 in. dia, bears S 53° W 565 ft. dia,

a Do. 12 " " " N 29° 4' W 508 " "

Dry land islands in marsh - gently rolling  
thinly timbered W. Y. Pine & R. Oak - very  
poor sandy soil, M. G. scrub oak & what  
berry bushes & winter green. Marsh a  
dead level - cold soil - without any  
visible out let - mostly covered with a  
thin coat of grass, a great part of it  
in wet seasons covered with water from  
6 to 30 inches, & in very dry seasons it  
is entirely dry.

North On E. side of sec. 25 T. 31 N. R. 7 W.

6.50 Leave marsh

8.77 a Y. Oak 10 in. dia.

12.37 " Do. 10 " "

18.00 Enter a marsh

36.00 Leave Do.

40.00 Set gr. sec. post for which

a Y. Oak 8 in. dia, is corner tree

41.25 Enter a marsh

49.80 a W. Oak 12 in. dia, on a small point

80.00 Set a post cor. sec. 24 & 25 in marsh



9

T. 31 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.<sup>a</sup>

N. L. a W. Oak 16 in. dia. bears N 65 $\frac{1}{4}$  E 398 lks. dist.  
 & a R. Oak 14 " " " N 16 $\frac{3}{4}$  E 337 " "  
 Land &c. same as on last mile,

---

North On E. side of sec. 24 T. 31 N. R. 7 W,  
 33.81 To a R. Oak 14 in. dia, on small elevation  
 40.00 Set gr. sec. post from which a  
 80.00 Red Oak 10 in. dia, bears N 5 $\frac{1}{2}$  W 614 lks. dist,  
 80.00 Set a post cor. sec. 13 & 24 from which  
 a R. Oak 15 in. dia, bears N 55 $\frac{1}{2}$  E 11.57 lks. dist,  
 & a Do. 15 " " " N 3 $\frac{1}{2}$  E 1292 " "  
 Country similar, all marsh, not very wet,

---

North On E. side of sec. 13 T. 31 N. R. 7 W,  
 40.00 Set gr. sec. post from which  
 a R. Oak 13 in. dia, bears N 24 $\frac{1}{2}$  W 721 lks. dist,  
 & a Do. 8 " " " N 9 $\frac{3}{4}$  W 676 " "  
 46.00 Leave the marsh  
 64.50 Enter a Do. —  
 80.00 Set a post cor. sec. 12 & 13 from which  
 a R. Oak 24 in. dia, bears N 7 $\frac{1}{2}$  W 910 lks. dist,  
 & a W. Oak 16 " " " N 76 $\frac{1}{4}$  E 269 " "  
 Land &c. similar to last,

---

North On E. side of sec. 12 T. 31 N. R. 7 W,  
 40.00 Set gr. sec. post from which  
 a R. Oak 15 in. dia, bears N 3 $\frac{1}{2}$  E 376 lks. dist,  
 no other near —  
 50.00 Leave marsh on a low brick island  
 65.00 Entered marsh again  
 80.00 Set post cor. sec. 1 & 12 from which  
 a Y. Oak 14 in. dia, bears N 62 $\frac{1}{2}$  W 60 lks. dist,  
 & a W. Oak 17 " " " N 53 $\frac{3}{4}$  W 128 " "  
 Land &c. similar to last mile,

---

North On E. side of sec. 1 T. 31 N. R. 7 W,

T. 31 N. R. 6 W. 2<sup>nd</sup> New, Ind. a

- 10.50 Leave marsh  
 14.88 a Y. Oak 14 in. dia,  
 40.00 Set gr. sec. post from which  
     a Y. Oak 17 in. dia, bears N 41° W 26 lks. dist,  
     & a Do. 12 " " " S 53½° W 17 " "  
 73.00 Entered marsh or wet prairie  
 79.82 To town corner, (T. 31 & 32 N. R. 6 & 7 W.)  
     Land mostly rolling from barrens  
     Timber W. & Y. Oak. Aug. 29<sup>th</sup> 1834.  
     Surveyed, By,  
     Robert Clark Jr. Dep. Sur.

### Subdivision.

- Var. 5° 33' E,  
 North Between sections 35 & 36  
     post stands in edge of marsh  
 25.00 Leave the marsh, water 12 to 24 in. deep  
 28.31 a W. Oak 18 in. dia,  
 40.00 Set gr. sec. post from which  
     a Pin Oak 18 in. dia, bears S 37½° E 25 lks. dist,  
     & a W. Oak 18 " " " S 46½° W 48 " "  
 40.50 Entered a marsh water 12 in. deep,  
 45.00 Leave marsh & enter a grove  
 49.21 To a Y. Oak 16 in. dia,  
 66.56 To a Y. Oak 30 " "  
 80.00 Set post cor. Sec. 25. 26. 35 & 36 from wh,  
     a Pin Oak 24 in. dia, bears N 49½° E 37½ lks,  
     & a Do. 10 " " " N 78° E 3.96 "  
     Land marshes & groves of W. Oak & Y. Oak  
     no N. E. but 3<sup>rd</sup> rate. — water 18 in deep  
     at corner,

- East On Random between sec. 25 & 36  
 28.00 Leave the marsh  
 30.00 Entered a Do.  
 65.00 Leave the Do.  
 79.54 Intersect Range line 58 lks. S. of post

11

<sup>up</sup> T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind. a

6. S. Land poor sandy soil &

---

West Correct line between sec. 25 & 26

13.61 To a W. Oak 12 in. dia,

39.77 Set gr. sec. post in marsh from which  
a Y. Oak 20 in. dia, bears N 76° W 810 lks. dist,  
no other -

79.54 To the sec. corner

---

North Between sections 25 & 26

40.00 Set gr. sec. post from which  
a W. Oak 8 in. dia, bears N 1/2° W 329 lks. dist.  
no other near,

47.25 Leave the marsh

60.20 ascend a ridge

63.62 a Y. Oak 16 in. dia,

80.00 Set a post cor. sec. 23, 24, 25 & 26,  
a Pin Oak 16 in. dia, bears S 32° E 15 lks. dist,  
& a Do. 20 " " " N 6 1/2° W 25 " "  
Part of last 1/2 mile rolling poor sandy  
soil Bl. Oak Pin Oak, W. Oak &

---

East On Random between sec. 24 & 25

15.00 Enter a marsh

24.50 Leave Do.

79.29 Intersect range line 1 1/4 lks. N. of post  
Land barrens. Pin. Oak Y. Oak & W. Oak,  
Ground descends to the S,

---

West Correct line between sec. 24 & 25

11.28 To a R. Oak 16 in. dia,

39.64 1/2 Set gr. sec. post from which  
a Pin Oak 20 in. dia, bears N 66 1/2° E 35 lks. dist,  
& a Do. 16 " " " S 64 1/2° W " "

79.29 To sec. corner, May 26<sup>th</sup> 1834. -

---

<sup>up</sup> S. 31 N. R. 6 W. 2<sup>nd</sup>. Men, Ind.<sup>a</sup>

North Between sections 23 & 24

- .85 To a Pin Oak 24 in. dia.,  
 2.77 " " Bl. Oak 11 " "  
 4.50 Enter a marsh water 8 in. deep  
 12.00 Leave the marsh  
 40.00 Set gr. sec. post in edge of marsh  
     a Pin Oak 8 in. dia. bears S 52 $\frac{1}{2}$  E 170 th. dist.,  
     & a Do. 8 " " " N 84 $\frac{3}{4}$  E 209 " "  
 80.00 Set post cor. sec. 13, 14, 23 & 24 in marsh  
     water 10 in. deep from which  
     a Pin Oak 10 in. dia. bears S 23 $\frac{3}{4}$  E 486 th.,  
     & a Do. 12 " " " S 14 $\frac{3}{4}$  E 815 "  
 Land marshy & covered with grass  
 & water & some small willows

East On Random between sec. 13 & 24

- 15.00 Leave marsh & ascend a ridge  
 27.00 descend the ridge & enter marsh  
 78.20 Intersect Range line 10 th. S. of post  
 Land same as on last mile,

West Correct line between sec. 13 & 24

- 39.10 set gr. sec. post in water 22 in.  
     deep no hearings.  
 78.20 To sec. corner, note. The mud in  
     the marshes is troubled by local  
     attractions. Cause not ascertained,

North Between sections 13 & 14

- 40.00 set gr. sec. post in marsh  
     a Pin Oak 14 in. dia. bears N 58 $\frac{1}{2}$  W 834 th.,  
     & a Do. 9 " " " N 18 $\frac{3}{4}$  W 608 "  
 53.50 Leave marsh & enter wind fall  
     course of Do. N. E.  
 58.31 a W. Oak 18 in. dia.,  
 70.25 Leave wind fall

13

<sup>wy</sup> T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

80.00 Set post cor. sec. 11. 12. 13 & 14  
 a Y. Oak 16 in dia. bears S 65 $\frac{1}{2}$  E 46 $\frac{1}{2}$  th. with  
 & a W. Oak 12 " " " N 13 W 32 " "  
 Land poor sandy soil, marsh & timber,  
 with W. & Y. Oak, h. G. Jack Oak in  
 May 27<sup>th</sup> 1834.

---

East On Random between sec. 12 & 13.  
 40.50 To windfall corner N. E. corner,  
 42.25 Leave windfall,  
 48.28 Intersect Range line 5 th. S. of post  
 Land rolling timbered with Y. Oak  
 & W. Oak, poor sandy soil,

---

West Correct line between sec. 12 & 13  
 7.20 To a Y. Oak 18 in dia.  
 39.14 Set gr. sec. post from which  
 a Y. Oak 18 in dia. bears N 16 $\frac{3}{4}$  E 19 $\frac{1}{2}$  th. dist.  
 & a Do. 18 " " " S 32 W 33 " "  
 9.86 To a Y. Oak 16 " " —  
 78.28 To the section corner,

---

North Between sections 11 & 12  
 3.50 Enter a marsh water not deep  
 40.00 Set gr. sec. post in marsh  
 a Pin Oak 24 in dia. bears N 10 $\frac{1}{2}$  E 58 $\frac{1}{2}$  th.  
 no other  
 80.00 Set post cor. sec. 1. 2. 11 & 12 from which  
 a W. Oak 20 in dia. bears N 20 $\frac{1}{4}$  W 11.22 th.  
 & a Do. 18 " " " S 65 $\frac{1}{3}$  E 17.75 "  
 Land level & marshy —

---

East On Random between sec. 11 & 12  
 73.15 Enter a small grove  
 76.00 Leave " Do. & Enter marsh.  
 79.50 Intersect Co. line of sec. 25 th. N. of post,



T. 31 N. R. 6 W. 2<sup>nd</sup>, New Ind.<sup>a</sup>

S. L. Land R. Same as on last mile,

---

West correct line between sec. 1 & 12  
 39.75 Set gr. sec. post in marsh water 10 in,  
     a Y. Oak 12 in. dia., bear N 59½ W 340 lbs,  
     & a W. Oak 24 " " " - 86½ W -  
 49.50 To sec. corner,

---

North Between sections 1 & 2

40.00 Set gr. sec. post from which  
     a Pin Oak 11 in. dia., bear S 69½ E 255 lbs. dist.,  
     & a Do. " " " " N 38 W 638 " "  
 50.30 Leave prairie & Enter grove  
 58.25 To a Dead Oak 20 in. dia.,  
 70.00 Enter a marsh  
 77.44 Intersect N. line of Town. 62 lbs. W.  
     of post. & set post cor. sec. 1 & 2  
     a R. Oak 15 in. dia., bear S 71 W 210 lbs. dist.,  
     & a W. Oak 10 " " " S 61½ E 466 " "  
 Land wet prairie & groves of yellow willow  
 Aspen & Pin Oak. 3<sup>rd</sup> rate May 28. 1834

---

North Between sections 34 & 35

found post in marsh water 20 in. deep  
 40.00 Set gr. sec. post in marsh  
     a Pin Oak 8 in. dia., bear S 40 E 197 lbs. dist.,  
     & a Do. 8 " " " N 19½ E 688 " "  
 46.25 Leave marsh & Enter Pin Oak bush  
 80.00 Set post cor. to Secs. 26, 27, 34 & 35 from which  
     a W. Oak 26 in. diam. bear N 49 W 344 lbs. dist.,  
     a Do 28 " " " S 47½ E 313 "  
 Land marshy & groves of Pin. W. Y. Oak  
 mostly Pin Oak -

---

East on Random between Secs. 26 & 35 -

79.50 Intersect N. line 100 lbs. N. of post -

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. S. Land &c. same as on last mile,

West Correct line between sec<sup>s</sup> 26 & 25

10.55 To a Y. Oak 18 in. dia,

39.75 Set gp. sec. post in marsh

a Pin Oak 6 in. dia. bears S 27 $\frac{1}{2}$  E 227<sup>th</sup>,

& a Slo. 10 " " " N 57 $\frac{1}{2}$  W 188 " dist,

44.96 To a W. Oak 28 " "

79.50 To sec. corner,

North Between sections 26 & 27

40.00 Set gp. sec. post from which

a Y. Oak 9 in. dia. bears N 31 $\frac{1}{2}$  W 20<sup>th</sup> dist,

& a Hickory 12 " " " S 32 $\frac{1}{2}$  E 58 " "

47.23 To a Y. Oak 22 " " —

57.80 " " W. Oak 20 " "

80.00 Set post cor. sec<sup>s</sup> 22, 23, 26 & 27 in marsh

a Pin Oak 12 in. dia. bears N 58 $\frac{1}{2}$  W 624<sup>th</sup>,

& a " Slo 12 " " " S 15 $\frac{1}{2}$  E 10.66 " dist,

Marshy & Oak ridges & poor sandy soil,

East On Random between sec<sup>s</sup> 23 & 26

80.54 Intersect E. line of sec<sup>s</sup> 25<sup>th</sup> N. of post

Land marshy & ridges. Timbered with

Pin Y. & W. Oak, poor sandy soil,

West Correct line between sec<sup>s</sup> 23 & 26,

7.84 To a Y. Oak 16 in. dia,

40.27 Set gp. sec. post from which

a Pin Oak 14 in. dia. bears N 71 $\frac{1}{2}$  W 61<sup>th</sup>,

& a Slo. 14 " " " " N 78 $\frac{1}{2}$  E 77 "

80.54 To sec. corner,

North Between sections 22 & 23,

17.22 a Pin - 6 in. dia. in line

40.00 Set gp. sec. post from which

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 66.50 a Pin Oak 28 in. dia. bears N 46 7/8 E 21 in.  
 & a W. Oak 6 " " " S 37 1/2 W 29 " dip,  
 44.30 a W. Oak 9 " "  
 55.15 " Do. 12 " "  
 57.25 Enter a large marsh water not deep  
 80.00 Set post cor. sec. 14, 15, 22 & 23 put in  
 charcoal where raised a mound  
 Land part rolling sandy soil timber  
 short, Pin Oak, G. Oak & W. Oak,

East On Random between sec. 14 & 23,  
 82.50 Intersect E. line of sec. at post,  
 Land marshy & perfect level,

West Correct line between sec. 14 & 23,  
 41.25 Set q. sec. post from which  
 no bearings. made mound with charcoal  
 82.80 To sec. corner,

North Between section 14 & 15

- 34.00 Leave a marsh  
 34.49 To a G. Oak 20 in. dia. -  
 40.00 Set q. sec. post from which  
 a G. Oak 30 in. dia. bears N 58 7/8 W 24 in. dip,  
 & a W. Oak " N 83 1/2 W 21 " "  
 66.36 a Pin Oak 10 in. dia.  
 80.00 Set post cor. sec. 10, 11, 14 & 15 from which  
 a W. Oak 18 in. dia. bears N. 80 1/2 W 76 in. dip,  
 & a Faked Do. 24 " " " S 83 1/2 E 73 " "  
 Land rolling sandy soil G & W & Pin Oak,  
 no W. G. - May 29<sup>th</sup> 1834 -

East On Random between sec. 11 & 14  
 64.75 To a Creek 15 in. wide cor. N,  
 82.40 Intersect E. line of sec. at post  
 Land rolling poor sandy descends to N.W.

17

<sup>60</sup>T. 31 N. R. 6 W. 2<sup>nd</sup>, New Ind.

C. L. Timber same as on last mile

---

West Correct line between sec. 11 & 14

49 a Y. Oak 14 in. dia,

41.20 Set gp. sec. post from which  
a Y. Oak 8 in. dia, bears N 62 E 16 th. dist,  
+ a W. Oak 26 " " " S 14 W 85 " "

82.40 To sec. corner,

---

North Between sections 10 & 11

64 a Y. Oak 22 in. dia,

13.45 a Pin Oak 22 " "

40.00 Set gp. sec. post from which  
a W. Oak 18 in. dia, bears S 10 W 22 th. dist,  
+ a Y. Oak 22 " " " N 30 E 14 " "

62.07 a W. Oak 18 " "

62.87 Enter a marsh

80.00 Set a post cor. sec. 2, 3, 10 & 11 -

a W. Oak 30 in. dia, bears N 57 E W 928 th. dist

+ a Pin - - " N 50 E 528 " "

Land same as last mile,

---

East On Random between sec. 2 & 11

10.00 Leave marsh & Enter Pin Oak thicket

45.25 Enter a Willow marsh

81.52 Entered E. line of sec. at post,  
Land marsh & Pin Oak brush & oak

---

West Blazed back between sec. 2 & 11

40.76 Set gp. sec. post from which  
an Oak 15 in. dia, bears S 4 E 73 th. dist,  
+ a Do. 16 " " " N 20 E 18 " "

81.52 To the sec. corner,

---

North Between sections 2 & 3,

40.00 Set gp. sec. post in marsh water 10 in,



T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

6. L. a W. Oak 40 in. dia, bears N  $76\frac{3}{4}$  W 226<sup>th</sup>,  
 & a Y. Oak 18 " " " N  $31$  W 255 " —  
 45.20 Leave marsh & ascend sandy ridge,  
 50.25 Enter chalybeate marsh, which on  
 a partial examination is found to contain  
 rich iron ore —  
 77.75 Intersect N. boundary 190<sup>th</sup> W. of post,  
 where set post cor. sec. 27 & 3 from which  
 a W. Oak 12 in. dia, bears S  $30\frac{1}{2}$  E 318<sup>th</sup>,  
 & a Do. 10 " " " S  $64\frac{1}{3}$  W 554 "  
 (No description) May 30<sup>th</sup> 1834. —

## North Between sections 33 &amp; 34

- 20.00 Entered deep flag marsh  
 38.25 Leave " " Do,  
 40.00 Set gr. sec. post from which  
 a W. Oak 12 in. dia, bears N  $78\frac{1}{2}$  E 6<sup>th</sup>,  
 & a Pin Oak 14 " " " S  $37$  W 23 "  
 44.08 a W. Oak 20 " "  
 70.25 Entered a grass marsh  
 80.00 Set post cor. sec. 27, 28, 33 & 34  
 a W. Oak 20 in. dia, bears S  $42\frac{1}{2}$  W 52<sup>th</sup>,  
 & a Y. Oak 24 " " " S  $19\frac{1}{2}$  E 86 "  
 Land level partly timbered W. Oak  
 Y. Oak & Pin Oak, no N. b.,

## East On Random between sec. 27 &amp; 34

- 19.50 Leave the marsh  
 34.75 Enter a Do,  
 80.11 Intersect E. line of sec. 20<sup>th</sup> N. S,  
 of post. Land level marshy & part  
 thinly timbered with Pin Oak & some  
 W. Oak N. b. willow & aspen &

## West Correct line between sec. 27 &amp; 34

- 40.05 Set gr. sec. post in marsh,



19

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 6.51 a Y. Oak 16 in dia, bears S 74 W 278 lbs,  
4 a W. Oak 12 " " " S 74 E 278 "  
80.11 To the sec. corner,  
Land level marshy & part thinly timbered,  
with Pin Oak & some W. Oak & S. willows,
- 

- North Between sections 27 & 28,  
9.00 Leave marsh  
15.88 a Pin Oak 11 in dia,  
16.50 Entered a marsh  
40.00 Set gr. sec. post in marsh  
no mound in consequence of depression  
80.00 Set post cor. sec. 21. 22. 27 & 28,  
no bearings nor mound.  
Land deep marsh covered with  
grass, rushes flag &c. The landscape  
here presents to the mind the idea  
of a green sea with small scattered islands
- 

- East On Random between sec. 22 & 27  
79.08 Intersect E. line of sec. at post  
This mile almost impassible marsh  
partly covered with grass rushes & partly  
bare water, from 10 to 30 in deep, bottom  
spongy &
- 

- West Correct line between sec. 22 & 27  
39.54 Set gr. sec. post in water 20 in. deep  
no bearings - nor mound,  
79.08 To sec. corner,
- 

- North Between sections 21 & 22  
40.00 Set gr. sec. post in marsh  
a W. Oak 18 in dia bears S 76 E 13.96 lbs,  
no other  
53.50 Leave the marsh

T. 31 N. R. 6 W. 2<sup>nd</sup> & 3<sup>rd</sup> Sec. 15 & 22

- 69.08 To a Y. Oak 18 in. dia,  
 70.00 Enter a marsh  
 80.00 Set post cor. sec. 15. 16. 21 & 22  
 a W. Oak 18 in. dia, bears N 66 $\frac{1}{2}$ ° W 226 ft.,  
 & a Do. 16 " " " N 75° W 278 " dist,  
 part of last  $\frac{1}{2}$  mile timbered with W. Oak  
 Y. Oak Pin. Oak & W. G. Pin. Oak &c.

- East On Random between sec. 15 & 22  
 21.25 Leave marsh & ascend narrow ridge  
 35.06 Enter a marsh  
 79.18 Intersect E. line of sec. 15 at post  
 ridge timbered with Y. Oak, W. Oak  
 poor sandy soil & no W. G.

- West marked back between sec. 15 & 22  
 39.59 Set gp. sec. post in marsh  
 a Y. Oak 20 in. dia, bears N 86 $\frac{1}{2}$ ° W 490 ft.,  
 no other near  
 79.18 To the sw. corner,

- North Between sections 15 & 16  
 2.50 Leave marsh & raise narrow ridge  
 8.71 a Y. Oak 18 in. dia,  
 21.70 a Do. 11 " "  
 22.20 Enter a marsh  
 40.00 Set gp. sec. post in marsh  
 a W. Oak 20 in. dia, bears S 41 $\frac{1}{2}$ ° W 554 ft.,  
 & a Do. 18 " " " S 60° W 587 "  
 50.50 Leave the marsh  
 80.00 Set post cor. sec. 9. 10. 15 & 16  
 a Y. Oak 14 in. dia, bears N 70 $\frac{1}{2}$ ° E 10 ft.,  
 & a Do. 28 " " " S 88° W 55 " dist,  
 Land part marsh & part rolling  
 Y. Oak & W. Oak poor & sandy

*T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.*

*East* On Random between sec<sup>s</sup> 10 & 15

79.45 Intersect E. line of sec<sup>s</sup> 30 S. of post  
Land part level part rolling & the timber  
P. O. & W. Oak, N. G. Pin Oak aspen & Bl. Gum,

*West* Correct line between sec<sup>s</sup> 10 & 15

7.71 a W. Oak 12 in. dia.

39.72 $\frac{1}{2}$  Set q<sup>r</sup>. sec. post from which  
a G. Oak 18 in. dia. bears S 29 E 10 th. dist,  
& a Do. 16 " " " N 74 W 44 " "

42.59 To a Pin. Oak 8 in. dia. -

79.45 To the sec. corner, May 31<sup>st</sup> 1834 -

*North* Between sections 9 & 10

10.24 a W. Oak 20 in. dia.

38.33 " G. Oak 16 " "

40.00 Set q<sup>r</sup>. sec post from which  
a G. Oak 20 in. dia. bears N 16 E 33 th. dist,  
& a Do. 16 " " " S 53 E 32 " "

44.50 Entered Chalkyate marsh

80.00 Set a post in marsh cor. sec<sup>s</sup> 3, 4, 9 & 10,  
in water 10 in. deep - from which  
a Pin Oak 24 in. dia. bears N 61  $\frac{1}{2}$  W 21  $\frac{1}{2}$  th.,  
& a W. Oak 24 " " " N 42  $\frac{1}{2}$  W. 16.01  
Land part rolling & timbered with G. Oak. W.  
Oak &c. East  $\frac{1}{2}$  mile marsh &c

*East* On Random between sec<sup>s</sup> 3 & 10

79.50 Intersect E. line of sec<sup>s</sup> at post  
This mile level marsh on 1<sup>st</sup>  $\frac{1}{2}$  mile  
at 30 chs. there is apparently an extensive  
bed of iron ore. it lies near the surface,

*West* Correct line between sec<sup>s</sup> 3 & 10

39.25 Set q<sup>r</sup>. sec. post from which  
a G. Oak 12 in. dia. bears S 87  $\frac{1}{2}$  W 8  $\frac{1}{4}$  th. dist,

up S. 31 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.<sup>a</sup>

79.50 To sec. corner. (no other bearing)

North Between sections 3 & 4

38.17 To a Pin Oak 6 in. dia, leave mark

40.00 Set gr. sec. post from which

a Pin Oak 6 in. dia, bears South 183<sup>th</sup> dist,

& a Sec. 10 " " " N 32 E 139 " "

62.34 To a W. Oak 20 " "

79.44 Intersect N. boundary 139<sup>th</sup> W. of post  
where set post cor. sec. 3 & 4 from which

a W. Oak 28 in. dia, bears S 1 E 30<sup>th</sup> dist

& a Sec. 16 " " " N 67 E 79 " "

S<sup>1</sup>/<sub>2</sub> of sec. marshy. N<sup>1</sup>/<sub>2</sub> timbered with  
W. G. Oak & some Pin Oak poor soil,  
May 31<sup>st</sup> 1834 —

North Between sections 32 & 33,

34.00 Leave marsh (marsh deep)

34.62 a W. Oak 20 in. dia, —

40.00 Set gr. sec. post from which

a Pin. Oak 11 in. dia, bears S 32 W 203<sup>th</sup> dist,

& a W. Oak 20 " " " N 62<sup>1</sup>/<sub>2</sub> W 270 " "

60.25 Enter a marsh

80.00 Leave marsh & set post cor. sec. 28, 29, 32 & 33,

a G. Oak 18 in. dia, bears N 62<sup>1</sup>/<sub>2</sub> E 11<sup>th</sup> dist,

& a Sec. 22 " " " N 22 W 10 " "

Land level Bullrush marsh deep water  
Pin Oak, W. Oak & G. Oak. poor soil —

East on Random between Sec. 28 & 33

15.00 Leave the Marsh.

79.65 Intersect M. line 19<sup>th</sup> W. N. of Post.

Land level 3<sup>rd</sup> rate. Pin, W. & G. Oak —

West corner between Sec. 28 & 33

9.17 a Pin Oak 16 in. diam.

23

by J. 31 N. R. & W. 2<sup>nd</sup> Mer. Ind.

39.82 Set gr. sec. post at average dist. from which  
a W. Oak 22 in. diam. bears N 43° W 26 W. dist.  
a W. Oak 30 " " " S 40° E 52 " "

40.12 a No 14 " "

79.65 To Sec. corner.

---

North Between sections 28 & 29

20.00 Enter a wind fall cr. N. E.

25.15 To a W. Oak 18 in. dia. -

29.90 " a W. Oak 18 " "

30.00 Leave wind fall

38.25 Enter wet prairie

40.00 Set gr. sec. post from which  
a Pin. Oak 6 in. diam. bears S 58° E 308 W.  
a W. Oak 30 " " " N 17° E 417 "

41.50 Enter a deep marsh

80.00 Set a post cor. sec. 20, 21, 28 & 29  
in marsh water 18 in. deep, no bearings  
Land level principally marsh

---

East On Random between sec. 21 & 28,

80.64 Intersect E. line of sec. at post  
Land all marsh & covered with water  
from 2 to 24 in. deep & grass of various  
kinds bull-rushes &c

---

West Correct line between sec. 21 & 28,

40.32 Set gr. sec. post from which  
a W. Oak 20 in. dia. bears N 4° W 479 W.  
a No. 20 " " " N 24° W 465 "

80.64 To sec. corner,

---

North Between sections 20 & 21

36.00 Leave marsh

38.61 To a W. Oak 18 in. dia.,

40.00 Set gr. sec. post from which



up  
T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Twp.

6. E. & W. Oak 22 in. dia, bears N 25 E 21 th. dist,  
 & a Slo. 20 " " " N 76 E 11 " "  
 80.00 Set post Cor. Sec. 16, 17, 20 & 21 from which  
 a Y. Oak 18 in. dia, bears N 34 E 17 th. dist,  
 & a Slo. 18 " " " N 26 E W. 51 " "  
 Land gently rolling Jack Oak, some Y & W,  
 Oak. & R. Oak - Poor sandy soil,

---

East On Random between sec. 9, 16 & 21  
 78.68 Intersect E. line of sec. 32 th. N. of post  
 Land level, Pin Oak & some Y. Oak timber  
 Scattering small growth & 3<sup>rd</sup> rate land

---

West Correct line between sec. 9, 16 & 21  
 5.08 To a Y. Oak 11 in. dia,  
 39.34 Set q<sup>r</sup>. sec. post from which  
 a Pin Oak 14 in. dia, bears N 66 W 37 th. dist,  
 & a Slo. 12 " " " N 14 E W 35 " "  
 78.68 To sec. corner.

---

North Between sections 16 & 17  
 8.74 To a Pin Oak 8 in. dia, -  
 27.90 " " " Slo. 24 " "  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Pin Oak 18 in. dia, bears N 84 E W 70 th. dist,  
 & a Slo. 14 " " " N 61 E 53 " "  
 80.00 Set post cor. sec. 8, 9, 16 & 17 from which  
 a Pin Oak 9 in. dia, bears N 32 W 40 th. dist,  
 & " Slo. 7 " " " N 45 E 13 " "  
 Land level small growth of Pin Oak &  
 Blk. Gum & aspen 3<sup>rd</sup> rate -

---

East On Random between sec. 9 & 16  
 78.54 Intersect E. line of sec. 44 th. N. of post  
 Gently rolling land. W Oak Y. Oak & some  
 Pin Oak Poor sandy soil -

by T. 31 N. R. 6 W. 2<sup>nd</sup> New. Ind.<sup>a</sup>

- West Correct line between sec. 9 & 16  
 20.11 a G. Oak 24 in. dia.  
 39.27 Set gp. sec. post from which  
     a W. Oak 18 in. dia. bears S 57 $\frac{1}{2}$  E W 55 $\frac{1}{2}$  M. dist.  
     & a Do. 20 " " " N 33 E 38 " "  
 44.45 To a G. Oak 22 " " -  
 78.54 To sec. corner, June 2<sup>nd</sup> 1834.

North Between sections 8 & 9

- 8.50 Entered prairie  
 40.00 Set gp. sec. post in prairie  
     a G. Oak 30 in. dia. bears N 58 $\frac{1}{2}$  E 476 M. dist.  
     no other tree convenient,  
 45.00 Entered marsh, water strongly impregnated  
     with oxide of iron -  
 80.00 Set a post cor. sec. 4, 5, 8 & 9 from which  
     a G. Oak 22 in. dia. bears N 13 $\frac{1}{2}$  W 499 M.  
     & a W. Oak 18 " " " N 21 E 445 " dist.  
 Land level wet prairie & marsh scattering  
 timber, Pin Oak W. Oak & some G. Oak poor  
 soil, 3<sup>rd</sup> rate land -

East On Random between sec. 4 & 9

- 78.39 Entered E. line of sec. at post  
 This mile is all marsh. The course of  
 the marsh is E. & W. & about 1 mile wide  
 the natural descent of the ground Eastward  
 would be sufficient to drain it, - but there  
 are old Beaver dams running N & S. every  
 few rods, which, although long since  
 abandoned by those interesting animals,  
 present a barrier to the free passage of  
 the water.

West Blazed back between sec. 4 & 9

- 39.19 set gp. sec. post from which

Aug 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

01.21 a Pin Oak 18 in. dia. bears N 31 $\frac{1}{2}$  W 10.14 lks.  
& no other near  
78.39 To the sec. corner,

North Between sections 4 & 5

4.00 Leave the mark  
9.64 To a Pin Oak 22 in. dia.  
37.85 " " W. Oak 12 " "  
40.00 Set q<sup>r</sup>. sec. post from which  
a W. Oak 20 in. dia. bears S 36 $\frac{1}{2}$  E 32 lks.  
& a Do. 12 " " " N 13 $\frac{1}{2}$  W 52 "  
53.00 To a Trail leading from Hoguon's River  
to St. Joseph's River cr. N. E.  
62.38 To a W. Oak 10 in. dia.  
78.56 Intersect N. boundary 100 lks. W. of post,  
where set post cor. sec. 4 & 5, from wh.  
a W. Oak 18 in. dia. bears S 32 $\frac{1}{2}$  W 48 lks. dia.  
& a Do. 26 " " " S 64 $\frac{1}{2}$  E 160 " "  
Land rolling W. Pin Oak & Y. Oak prevail

North Between sections 31 & 32

9.57 To a Y. Oak 20 in. dia. in line,  
40.00 Set q<sup>r</sup>. sec. post & Enter a marsh  
a Pin Oak 18 in. dia. bears S 60 W 75 lks.  
& a W. Oak 10 " " " S 22 $\frac{3}{4}$  W 156 "  
a deep pond opposite this post in sec. 31  
50.50 Leave the mark  
69.15 a Pin Oak 20 in. dia.  
70.00 Enter a deep marsh (-15 in.)  
80.00 Set post cor. sec. 29, 30, 31 & 32 in water:  
a W. Oak 20 in. dia. bears N 57 W 570 lks. dia.  
& a Pin Oak 18 " " " N 20 $\frac{1}{2}$  E 447 " "  
Land level thinly timbered. Pin & W. Oak 3.20 lks.

East On Random between sec. 29 & 32

9.00 Leave mark

27

by T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

41.00 Entered a marsh water deep  
 79.58 Intersect E. line of sec. at post  
 Land level marsh faced prairie some  
 scattering timbered Pin Oak W. Oak aspen  
 H. G. Yellow willow small, poor soil, 3<sup>rd</sup> rate

---

West Correct line between sec. 29 & 32  
 39.79 Set q<sup>r</sup>. sec. post from which  
 a Pin Oak 8 in. dia. bears S 68° W 225 M. dist.  
 no other near, (cor. intersect prairie)  
 79.58 To the sec. corner,

---

West On Random between sec. 30 & 31  
 41.00 Crossed a trail cr. N.E.  
 79.26 Intersect E. line of sec. 25 M. S. of post  
 Land &c. same as on last mile)  
 a W. Oak 18 in. dia. bears N 82° E. 350 M. dist.  
 + a Y. Oak 18 " " " S 89° E 401 " "

---

East Correct line between sec. 30 & 31  
 44.39 a Y. Oak 10 in. dia.  
 39.26 Set q<sup>r</sup>. sec. post from which  
 a Y. Oak 22 in. dia. bears S 23° E 260 M.  
 & W. Do. 24 " " " N 72° W 155 " dist.  
 79.26 To sec. corner,

---

North Between sections 29 & 30  
 11.24 To a Pin Oak 18 in. dia.  
 35.50 Entered a marsh deep water  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Pin Oak 18 in. dia. bears S 60° E 504 M.  
 + a Do. 20 " " " S 22° E 425 "  
 80.00 Set post cor. sec. 19, 20, 29 & 30 from wh.  
 a Pin Oak 16 in. dia. bears S 58° E 255 M.  
 + a Do. 22 " " " S 67° W 422 "  
 Land marsh & water strongly impregnated

T. 31 N. R. 6 W. 2<sup>nd</sup> Mev. Ind<sup>a</sup>.

Co. Lo. with Oxide of iron: a few scattering  
Pine Oaks. & 3<sup>rd</sup> rate land

East On Random between sections 20 & 29  
20.50 To deep pond water from 2 to 3 ft.  
28.00 Leave pond  
39.00 Entered a small grove  
40.50 Leave grove & Entered a marsh  
79.37 Intersect E. line of sec<sup>d</sup>, at post  
no bearings. Land marshy & pond from  
the sec. corner on W. side of pond chalybeate  
water. no bearings for cor. —

West Back between sec<sup>s</sup> 20 & 29  
39.68½ Set of sec. post from which  
a W. Oak 16 in. dia, bearing N 24½ W 39. the dist.  
to Pine Oak 10 " " " N 75½ W 50 " "  
79.37 To sec. corner, June 3<sup>rd</sup> 1834 —

West On Random between sec<sup>s</sup> 19 & 30  
12.00 Leave marsh  
15.00 Cross trail from Ingers to St. Joseph's,  
corner North  
78.34 Intersect W. line of sec<sup>d</sup>. (W. boundy.) at post  
Land level wet prairie, marsh & some  
standing timber Pine Oak & Br. Oak 3<sup>rd</sup> rate

East Marked back line between sec<sup>s</sup> 19 & 30  
38.34 Set of sec. post from which  
a W. Oak 10 in. dia, bearing N 68½ W 10.50 the  
to Pin - 12 " " " N 5 W 9.73 the dist.  
78.34 To sec. corner,

North Between sections 19 & 20  
2.50 Entered Bull rush pond 2 ft water  
20.00 Leave pond.



T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 20.20 G. W. Oak 20 in. dia.,  
 27.00 Enter a wet prairie  
 40.00 Set gr. sec. post from which  
     a Pin Oak 8 in. dia. bears N 81 E 369 lks. dist.,  
     & a " No. 16 " " " N 56 E W 515 " "  
 44.25 Enter B. Bush pond  
 50.00 Leave pond & Enter wet prairie  
 80.00 Set a post en. sec. 17, 18, 19 & 20 from wh.  
     a G. Oak 24 in. dia. bears N 34 W 370 lks.,  
     & a No. 20 " " " N 29 E 360 "  
 Land mostly marsh & wet prairie &  
 small grove of W & G. Oak timber,

- East On Random between sec. 17 & 20  
 20.00 Leave prairie & Enter grove  
 50.50 Enter small wet prairie en. S. W.  
 61.00 Leave prairie  
 80.90 Intersect E. line of sec. 14 lks. N of post  
 Timbered land gently rolling W. & Y. oak  
 Pin Oak, N. G. Pin Oak, Aspen some Maple  
 in prairie some Willow & common grass,  
 some Buffalo clover, 3? into land

- West Correct line between sec. 17 & 20  
 40.45 Set gr. sec. post from which  
     a G. Oak 20 in. dia. bears N 32 W 8 lks. dist.,  
     & a W. Oak 22 " " " N 74 E 22 " "  
 80.90 To the sec. corner,

- West On Random between sec. 18 & 19  
 5.00 Cross a trail from Proquise to St. Joseph  
     rivers en. Co. of N. —  
 35.00 Enter marsh, chalybeate water  
 40.00 Set Enter impassible flag marsh  
     Offset N. 3 chs. W. 8 chs.  
     " South 3 chains to line,

by 31 N. N. 6 W. 2<sup>nd</sup> Mer. Ind. a

77.81 Intersect W. boundary 4<sup>th</sup> N. of post  
Land wet prairie & marsh 3<sup>d</sup> rate &

East Correct line between sec. 18 & 19

37.81 Set q<sup>r</sup>. sec. post from which  
a W. Oak 24 in. dia. bears N 45 E 336<sup>th</sup> dist  
+ a Y. Oak 12 " " " N 63 E 384 " "

77.81 To the sec. corner,

North Between sections 17 & 18,

31.07 To a Pin Oak 9 in. dia.

40.00 Set q<sup>r</sup>. sec. post from which  
a Pin Oak 15 in. dia. bears N 83 E 91<sup>th</sup> dist  
+ a Y. Oak 30 " " " S 23 E 167 "

42.50 To an Indian trail cr. N.E.

70.35 " a Pin Oak 30 in. dia.

80.00 Set a post cor. sec. 7, 8, 18 & 17 from wh.  
a Pin Oak 22 in. dia. bears S 19 E 250<sup>th</sup> dist  
+ a " Do. 20 " " " S 23 E 387 " "

Land level poor & scattering timber,  
Pin Oak & some Y. Oak. N. E. Pin Oak & spruce  
& 3<sup>d</sup> rate land,

East On Random between sec. 8 & 17

17.50 an Indian trail cr. N.E.

39.00 Enter wet prairie scattering timber

80.88 Intersect E. line of sec. 20 1<sup>st</sup> N. of post  
Land level & mostly covered with prairie  
vegetation & scattering trees P. & W. Oak

West Correct line between sec. 8 & 17

40.44 Set q<sup>r</sup>. sec. post from which  
a Pin Oak 10 in. dia. bears N 24 E 209<sup>th</sup> dist  
+ a Do. Do. 8 " " " N 83 E 381 "

80.88 To the sec. corner,

31

by 31 N. R. 6 W. 3<sup>rd</sup> Mer. Ind. 1

West On Random between sec. 9, 7 & 18,  
77.21 Intersect W. boundary 14 Ch. N. of post  
Land level willow prairie scattering groves  
of Pin & W. Oak throughout.

---

East Correct line between sec. 9, 7 & 18,  
37.21 Set of sec. post from which  
a Pin Oak 20 in. dia, bears N 6 1/2 W 558 Ch.,  
no other  
77.21 To sec. corner,

---

North Between sections 7 & 8,  
40.00 Set of sec. post from which  
a W. Oak 20 in. dia, bears S 75 W 221 Ch.,  
& a Pin Oak 9 " " " N 5 W 127 " dia,  
50.67 To a W. Oak 24 " "  
62.10 " " Do, 20 " "  
80.00 Set post cor. sec. 5, 6, 7 & 8 from which  
a Y. Oak 14 in. dia, bears N 80 3/4 W 464 Ch. dia,  
& a W. Oak 14 " " " N 57 W 575 " "  
Land &c. same as on last mile,  
June 4<sup>th</sup> 1834.

---

East On Random between sec. 5 & 8,  
42.00 Crossed Indian trail cor. at N. E,  
44.50 Entered Beaver dam marsh  
79.80 To E. line of sec. at post  
Land poor Pin & Y. Oak W. Oak &c.  
Under growth Pin Oak &c

---

West Correct line between sec. 5 & 8,  
39.90 Set of sec. post from which  
a W. Oak 18 in. dia, bears S 84 W 23 Ch. dia,  
& a Do, 20 " " " at 84 1/2 E 26 " "  
78.80 To sec. corner,

---

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

West On Random between Sec. 6 & 7

77.18 Intersect W. boundary 28 <sup>1</sup>/<sub>2</sub> m. N. of post  
Land poor wet, scattering timber W. Oak  
Under growth Pin Oak aspen &c,

East Correct line between Sec. 6 & 7

37.18 Set gr. Sec. post from which

a W. Oak 20 in dia. bears N 19 E 6 <sup>1</sup>/<sub>2</sub> m. dist.

& a Pin Oak 14 " " " S 32 <sup>1</sup>/<sub>2</sub> W 55 " "

42.56 a W. Oak 20 " "

77.18 To Sec. corner,

North Between sections 5 & 6,

38.12 a Y. Oak 12 in dia.

40.00 Set gr. Sec. post from which

a Y. Oak 10 in dia. bears N 41 E 1 <sup>1</sup>/<sub>2</sub> m. dist.

& a Do. 11 " " " S 41 W 34 " "

46.19 a Y. Oak 24 " "

78.15 Intersect N. line of Town. 8 m. W. of post  
where set post cor. Sec. 5 & 6 from which

a Y. Oak 12 in dia. bears S 46 E 10 <sup>1</sup>/<sub>2</sub> m. dist.

& a Do. 11 " " " S 47 <sup>1</sup>/<sub>2</sub> W 116 " "

Land rolling Y. Oak W. Oak & some P. Oak

No Mud, etc. soil loose yellow sand

June 5<sup>th</sup> 1834. —

### General Description

Township 31 N. Range 6 W. 2<sup>nd</sup> Mer. Ind.  
is of little or no value except it be  
on account of the iron ore contained  
in the marshes. There appear to be  
extensive. Timber is sufficiently —  
abundant for manufacturing the  
iron, but there is no water power.  
Wish Biggs.

D. Surveyor

33

T. 31 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

I hereby certify that in pursuance of a contract with Mr. T. Williams Sur. Gen<sup>l</sup> of the U. States for the States of Ohio Indiana & Michigan Territory dated 3<sup>rd</sup> day of May 1834 - and in strict conformity to the laws of the United States & the instructions of said Sur. General I have surveyed & subdivided into sections Township 31 North Range 6 West 2<sup>nd</sup> Mer. in the state of Indiana.

And I do further certify that the foregoing are the true original field-notes of said survey & subdivision Executed as aforesaid,

Certified 5<sup>th</sup> day of June 1834.

Nriah Biggs. Dep. Sur.

Thos. C. McPherson. 3

Josiah Biggs. 3 chain men

James Johnson, Marker.

---

I certify that the foregoing transcript of field-notes of Township 31 North of Range 6 West 2<sup>nd</sup> Meridian in the state of Indiana, has been compared with the original in this office, and found to be correct.

William Johnston  
Sur. Gen<sup>l</sup>.

Surveyor General's office,  
Cincinnati, October 28<sup>th</sup> 1842.